



കേരള സർക്കാർ
Government of Kerala
2014



Regn. No. KERBIL/2012/45073
dated 5-9-2012 with RNI
Reg. No. KL/TV(N)/634/2012-14

tl cf Kk ddv KERALA GAZETTE

ആധികാരികമായി പ്രസിദ്ധപ്പെടുത്തുന്നത്
PUBLISHED BY AUTHORITY

വാല്യം 3	തിരുവനന്തപുരം,	2014 നവംബർ 18	
	ചൊവ്വ	18th November 2014	
Vol. III	Thiruvananthapuram,	1190 വൃശ്ചികം 2	നമ്പർ
	Tuesday	2nd Vrischikam 1190	No.
		1936 കാർത്തികം 27	45
		27th Karthika 1936	

PART III

Stores Purchase

Fire and Rescue Services Department

e-TENDER NOTICE

No. F1-13724/2014/KFRS-1. 16th October 2014.

e-Tenders in two cover system are invited from competent dealers for the supply of 10 Nos. of High Pressure Portable Pump (Petrol) with respective specifications to this Department. The tender is to be submitted as e-tenders through <https://etenders.kerala.gov.in>. Since this is an e-tender, only those bidders who have enrolled in the above portal with their own Digital Signature Certificate (DSC) can participate in the tender.

E-Tender document and other details can be obtained from the above e-portal.

The tender has two parts.

1. Technical bid.
2. Financial bid (BOQ).

Tender No. with PAC—KFRS/E-Tender No. 24/2014-15—` 70 Lakh.

Closing date and time of e-tender—24-11-2014, 5 p. m.

Last date and time of receipt of e-tender—24-11-2014, 5 p. m.

Date and time of opening of e-tender:

1. Technical bid—28-11-2014, 11 a. m.

2. Financial bid—2-12-2014, 11 a. m.

Cost of e-tender (online submission)—` 10,500 + VAT @ 5%.

Date up to which the rates are to remain firm for acceptance—31-3-2015.

EMD—1% of PAC in online payment.

Security Deposit—5% of total contract amount inclusive of EMD to be furnished on receipt of the supply order as online payment.

Period of supply—Within 40 days of receipt of supply order.

The bidder desiring to take part in the bid shall log into <https://etenders.kerala.gov.in> and then select tender and initiate payment. Bidders will be directed to the payment gateway page of the State Bank of Travancore. There are two options—State Bank of Travancore SBT, Net banking payment, payment through NEFT from other banks to the payment gateway of SBT.

For obtaining Digital Signature Certificate (DSC) and necessary portal enrolment bidders can visit the website <https://etenders.kerala.gov.in>.

Tenders will be opened in the online presence of such tenderers or their authorized representatives who have logged in at the prescribed time of opening technical & financial bids. If the date fixed for opening happens to be a holiday, due to net failure the tenders will be opened in the next working day, at the same time.

The price of the e-tender form shall be received only through online payment—SBT/SBT NEFT.

The cost should be quoted in Indian currency only.

The tenders has two covers:

- Technical cover
- Financial cover

The first cover ie. the technical cover shall be uploaded with the following document:

1. Scanned copy of complied specification of the product intended to supply.
2. Scanned copy of the agreement in the prescribed format in Kerala Stamp Paper worth ` 100.
3. Brochure of the product intended to supply.
4. Work experience certificate or other relevant details.
5. Scanned copies of the declaration by the bidder on Kerala Stamp Paper worth ` 100 to the effect that he/his partner/s or any of his directors is not involved in any Vigilance Case registered in connection with any supply made to this Department.

Soon on opening the technical bid of e-tenders the committee constituted to evaluate the technical aspects of the equipment will meet and scrutinize the technical specification of the equipment submitted with the e-tender.

The financial bid, belonging to those dealers/suppliers who qualified in the technical bid of the equipment required by Kerala Fire & Rescue Services Department alone will be considered.

On finalization of the same the second cover ie., the financial bid of the concerned competent firm will be opened for consideration.

The originals of Complied Technical Specification, Agreement in Kerala Stamp Paper worth ` 100, Declaration in Stamp Paper worth ` 100 shall be produced before the undersigned soon after the Financial Bid opening.

After opening the financial bid, financial evaluation is made only after consultation with the DPC and the decision of the DPC shall be final and will be uploaded in the financial evaluation field of the e-tender site whether the tender is financially admitted or not and thereafter the awarding of the contract.

The committee headed by the Commandant General, Kerala Fire & Rescue Services Department will scrutinize the tenders received and will recommend suitably. The decision of the Commandant General will be final for the award of the contract.

The right of acceptance or rejection of e-tender without assigning any reason is solemnly vested with Commandant General, Kerala Fire & Rescue Services.

The rules and regulations prescribed for e-tenders by the Government of Kerala shall be applicable to this e-tender also.

Details with respect to the e-tender and the details of specifications of the item to be purchase can be obtained from the e-tender website <https://etenders.kerala.gov.in>.

Any legal disputes that may arise in relation to the e-tender formalities will be restricted to the jurisdiction of Thiruvananthapuram District Court.

CONDITIONS

1. Whether Samples are essential—Pamphlets, Photograph, Drawings etc., should be forwarded along with the tender.
2. Period within which goods should be delivered—Within 40 days from the receipt of supply order.
3. Rates should be quoted including all taxes and transportation charge and 3 years AMC—F.o.r, Thiruvananthapuram.
4. Payment—90% payment against delivery at Thiruvananthapuram in good condition.
5. Other Special conditions—(1) A warranty of 24 months from the date of delivery of the item.
(2) EMD—1% of PAC in online payment.
(3) Security Deposit—5% of total contract amount inclusive of EMD to be furnished on receipt of the supply order as online payment as mentioned in the Notice inviting e-Tender.
(4) Any firm whose proprietor, Partner or Director is involved in a vigilance case registered in connection with a supply made to this Department earlier shall be barred from participating in this tender.
(5) Canvassing in any manner at any time shall disqualify of the tenderer.
(6) A three years AMC after warranty period should be provided and the AMC amount also included in the quoted price.

Technical Specification

1. Engine—Reputed make, four stroke, air cooled petrol driven developing power of 15 HP to 20 HP with two options for starting the engine—Manual recoil rope and push button battery starting. The battery starting shall be incorporated with a high standard alternator. Engine must be tested as per BIS Standard Certificate BIS/CE should be submitted.

2. Pump— Pump should be Single stage, centrifugal. Impeller and pump casing of Aluminium alloy with one suction inlet of 75 mm and one delivery outlet of 63 mm with screw down valve. The inlet of the pump shall be protected with brass or steel filter to prevent entry of grit and other materials.
3. Expected performance—The pump should provide a discharge of 500 to 600 litre per minute at a pressure range of 6 to 7 bar under normal climatic conditions.
4. Primer—Pump should be equipped with a suitable priming system. It should have a capacity to lift the water from a depth of 3 to 4 meters within 30 seconds at normal temperature and pressure.
5. Frame Work—Platform used for the mounting of the pump shall be vibration free, strong and long lasting. The frame shall be made of steel. It shall be sturdy rugged with four number handles for easy lifting and transportation. The handles shall be fitted with synthetic or rubberized hand grips. The control panel shall be mounted on the frame work and comprise of a delivery pressure gauge (0 to 10 bars) adjustable throttle, compound gauge, hood light and ignition switch.
6. Dimensions and weight— Pump should be compact in size and dimensions of length, width & weight should not be exceeded 700 mm each.

Dry Weight should be less than 100Kg. with battery.
7. Paint— (a) The whole pump shall be painted internally and externally with one coat of Zinc Chromite and under coat and two finishing coats.

(b) The frame shall be phosphated and then painted to ensure that it shall withstand climate effects.

(c) The final external coat of the paint shall be of Fire Service Red Colour.
8. Accessories—The following accessories shall be part of each high pressure Petrol Portable Pump.
 - (a) Rubber reinforced internally laided and smooth rubber lined 75 mm dia 3 m long suction hose, fitted with gun metal 'U' threaded male and female couplings : 4 Nos.
 - (b) 75 mm dia metal strainer of gun metal make : 1 No.
 - (c) Basket strainer of good quality, water resistant painted and fitted with standard canvas tying rope : 1 No.
 - (d) Universal type suction wrenches : 1 pair
 - (e) Lowering line (Manila or synthetic) of 2" circumference and 50 ft. long : 1 No.
 - (f) Tool kit for both engine and pump : 1 Set
 - (g) Spare battery : 1 No.
9. Servicing of spares should be available within Kerala.

COMPLIANCE STATEMENT

A specification compliance statement in the following performa shall be submitted along with the offer and the statement should be complete in all aspect and should cover each and every details of specification.

Specification Compliance Statement for High Pressure Portable Pump (Petrol)

1

Office of the Commandant General,
Fire & Rescue Services
Headquarters,
Housing Board Junction,
Thiruvananthapuram-1.

(Sd.)
Director (Admn.)
For *Commandant General*.